

VEVOR®

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

BOAT FLOORING

Model: NC-20 240*60/NC-20 240*90/NC-7 240*90/NC-7 240*116/NC-14 240*45/NC-14 240*60/NC-3 240*116/NC-3 240*90

We continue to be committed to provide you tools with competitive price. "Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

Boat Flooring

VEVOR®

TOUGH TOOLS, HALF PRICE

MODEL: NC-20 240*60/NC-20 240*90/NC-7 240*90/NC-7 240*116/NC-14 240*45/NC-14 240*60/NC-3 240*116/NC-3 240*90



NC-20 240*60 NC-7 240*90 NC-14 240*45 NC-3 240*116
NC-20 240*90 NC-7 240*116 NC-14 240*60 NC-3 240*90

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

PARAMETER LIST

model	NC-20 240*60	NC-20 240*90	NC-7 240*90	NC-7 240*116
Cover area(cm ²)	28800	21600	21600	27840
size of surface(cm)	240*60	240*90	240*90	240*116
net weight(kg)	1*2pcs	1.5	1.8	2.3

model	NC-3 240*116	NC-3 240*90	NC-14 240*45	NC-14 240*60
Cover area(cm ²)	27840	21600	10800	14400
size of surface(cm)	240*116	240*90	240*45	240*60
net weight(kg)	2.3	1.8	0.9	1.2

OPERATION


1.Tools needed: utility knife, alcohol or detergent, rag primer, ruler.



2.Clean the surface with alcohol or detergent to make sure the decking surface is clean and without Dirt. Heat the adhesive A bit with dryer if the temperature is low..




3.Peel off the adhesive paper of sheets and install them on the boat decking with roller to make sure it is flat and closed.




WARM TIPS

The sheets from different batches are allowed to have color differences within 5%. If a color difference happens from the same batch, please change the direction of the sheet to match the color.



When the sheet is tightly installed, it is normal for the gap to appear after the sheet is used. To avoid this, an adhesive can be used to bond the

pieces together before installation.



Double-sided adhesive performs better on the plane. The panel performance of different materials is from strong to weak: aluminum alloy, glass fiber, adhesive layer, PP, PVC, and wood. Please ensure that the adhesive is closely fitted to the surface when installing.



Manufacturer: Shanghai muxinmuyeyouxiangongsi
Address: Shuangchengliu
803nong11hao1602A-1609shi, baoshanqu, shanghai
200000 CN.

Imported to AUS: SIHAO PTY LTD. 1 ROKEVA
STREETEASTWOOD NSW 2122 Australia
Imported to USA: Sanven Technology Ltd. Suite 250,
9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP
----	-----

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
----	-----

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

S/N:20241021796780027

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support